Isaacson, Rosenbaum, Woods & Levy, P.C.

ATTORNEYS & COUNSELORS AT LAW

STANTON D. ROSENBAUM
GARY A. WOODS
SAMUEL L. LEVY
STEVEN G. WRIGHT
RICHARD D. GREENGARD
EDWARD T. RAMEY
WILLIAM M. SILBERSTEIN
LAWRENCE J. DONOVAN, JR.
GARY LOZOW
LAWRENCE R. KUETER
IONATHAN H. STEELER

SHELDON E. FRIEDMAN MARK G. GRUESKIN GARY A. KLEIMAN JON R. TANDLER BARRY PERMUT NEIL B. OBERFELD JOHN A. CHANIN THERESA L. CORRADA PAMELA A. JOHNSON BLAIN D. MYHRE PAULA J. WILLIAMS MELISSA K. THOMPSON STACEY STERN CHAPMAN JESSICA E. JAY ALISON T. DODSON LISA D. L. WILLIAMS DEREK C. WEST LISA R. BRENNER BRIAN D. MULQUEEN T. BARTON FRENCH, JR. RICHARD A. HARDAWAY BRADLEY A. BECK RICHARD L. REICHSTEIN LISA C. WALTER BONNIE LARSON-de PAZ

PAUL V. FRANKE SPECIAL COUNSEL SANDY GAIL NYHOLM OF COUNSEL

Louis G. Isaacson (1910-1993) Charles Rosenbaum (1901-1973) Samuel M. Goldberg (1903-1974) Joseph J. Stollar (1946-1984)

SENDER'S DIRECT DIAL (303) 256-3986

sender's internet address jsteeler@irwl.com

September 11, 2001

Sent via Hand Delivery

Ms. Dawn Tesorero Technical Enforcement Program U.S. Environmental Protection Agency 999 18th Street, Suite 300 Denver, CO 80202-2466

Re: First Request for Information Pursuant to § 104 of CERCLA for the Vasquez Boulevard/I-70 Site, Denver, Colorado

Dear Ms. Tesorero:

On behalf of Pepsi Bottling Group, the attached information is intended to supplement my client's earlier responses to the above-referenced request for information. Specifically, responsive to questions 6, 9g And 9h of the information request I have attached the following:

- 1. A map of the PBG facility with seven areas identified.
- 2. A current schedule and description of construction work keyed to the seven areas identified on the map. This work is being done in connection with planned facility improvements. This work is to be performed between August 2001 and January 2002.
- 3. Soil sampling results associated with Area 1 and Area 2. As is noted in the sampling results no abnormal results were detected.

My client and its contractors are working closely to assure that a safe environment is maintained during the construction period. As additional sampling is conducted and results are obtained, we will forward the same to you.

502477.1/513364.000

Isaacson, Rosenbaum, Woods & Levy, P.C.

ATTORNEYS & COUNSELORS AT LAW

ISAACSON, ROSENBAUM, WOODS & LEVY, P.C.

Ms. Dawn Tesorero U.S. Environmental Protection Agency September 11, 2001 Page 2


If you have any questions regarding this letter, the projects described herein or need further information (including further certification), please advise the undersigned.

Very truly yours,

Jonathan H. Steeler

JHS:dmg Enclosure

cc: David H. Patrick, Esq. (w/encl)



SCHEDULE OF DIRT EXCAVATION AND/OR SITE GRADING FOR THE PEPSI PLASTIC BOTTLE LINE PROJECT

	1.	;	8-9-01
AREA	PROJECT NAME	DESCRIPTION OF MARY	<u> उट्टमहर्गाट्ड</u>
~~~~	·		DATES
-44 ·	NORTH COURT LOADING DOCKS (PHASE I)	remove existing conc.	8-20-01 THOU
ARSA	Docks (Phase I)	scoon and excavate	9-7-01
		for New Dock Leveloes	
offente televiser en de la calabolica la calabolica de la		- INSIDE THE BLOG.	
#_		P. 7 E. P. C.	
APSA Z	WORM COURT LONGING	Excavate for Pootings	9-10-01 THRY
	HORM COVET COSCING BOCKS (PHASE I)	AND GRADE BEAMS AND	9-28-01
1		Deill Caissons - Addacent	1,0000
; ;	A second of the second	TO ALOG. ON THE LEXTERIOR	appending to the control of the cont
		HAUL ORP AN GRUTS MATE	
4		and the state of t	participated to the participate of the participate
AREA 3	NORTH COURT LANDING	esmove and Haul Off	10-22-01 7484
	DOCKS AND RELATED	UP TO 18 INCHES OF	11-9-01
	PAVING.	EXISTING MATERIAL AND	
, ,	The same of the sa	REPLACE IT WITH 12 MONE	2 - 1 - 2 - 1 - 2 - 2 - 2 - 2 - 2 - 2 -
	<b>,</b>	of Romo Basis and & inches	
	The second secon	of asphalt paving and	**** · · · · · · ·
		some concrete prios. There	·
The state of the s	The state of the s	WIH BE EXCAVATION FOR	the grant of the g
		UTILITY TRENCHES ALSO.	
The first of the second	The second was great the first term of the second s	* HAUL OFFE AN EXCESS MATE	entre of the second of the sec
		REMOVE EXISTING CONG.	10-22-01 HAN
Alexa 4	FLEET MAINTHANGE	slabs, excavate her new	11-20-01
and the second s	FLEST MAINTENANCE BLOG.	CONCRETE SLAMS CAISSONS &	A control of the cont
\$		FOOTINGS, EXCAUATE AND	
a Sugar Commission and the second second second second second	The state of the s	HAUL OFF OCO CONC. AND	gen ignere groupeter in die sie in termeren voor de worde g
		ASPHALT; EXCAUNTE FOR NOW	
	The Control of the Co	WRICITY LINGS, HAVE OFF	Mark to the control of the books process rate and to Marketon soft of the control
		All sixcass material	
	The second second section of the second section of the second second second second second second second second	INSIDE BLOG, AND ADJACENT	and the second s
•		70 BLB6.	
and a special section of the section	The companies are along all residences and the control of the cont	Mark of the Company of the state of the stat	hans described as an original semantic original and
Alen 5	BULK BOTTLE RECEIVING	DEMONS IST IST CONC. SURBS	11-19-01 men
	BLIBU.	AHE ASPHALT AHE HAVE OFF	1-20-02
		SATES BUCHWATE FOR CAISSONS	, = 22
A STATE OF THE STA	And the state of the second date of the second decision of the second decision of the second	POOTINGS, CAISSONS, CONC.	hand to the second seco
		SUNTOS AND AS PHALTS	
- is a respect to the second of the second	- Committee of the comm	SHAUL OFF GILCUSES MATL.	
٠	A COLOR OF THE COL	The state of the s	and the second s
1259 46	NEW TRUCK UP SH	EXCAVATA FOR CALSOONS,	11-19-01 THEM
	BLPG.	FOUNDATIONS, CONCRETE	
Excellencementation manager on manageration apply a series	Magazin Ministra (1985), principal de la compansa del compansa de la compansa de la compansa del compansa de la	SLABS AND ASPHALT; HAUL	1-20-02
1	1	AN Excess mat L. OFF	
# 18 + M. B. I. you sales the special part and second		SYME	Market 14 Company of the Company of
		1	
	mander to the second of the se		**************************************
# 110- H-		_	
14RBA 7	STORM WATIST POND	EXCAMATE POR STORM SEMER	10-22-01 THEL
	FOR WATER QUALITY	LINES AND POR WATER	j
	RETENTION	RETISNOON PONOS	11-20-01
			}
		1	
	ı '	1 control of the cont	1

# PROJECT REPORT

Area 1
Soil Testing for
Lead & Arsenic

Project Location:

Pepsi Bottling Group 3801 Brighton Blvd. Denver, CO 80216

Prepared by:

Gary E. Johnson Transportation & Industrial Services, Inc. 3772 Puritan Way, Unit #4 Erie, CO 80516

Report Date:

September 7, 2001

### **Table of Contents**

### Section

- 1.0 Project Background
- 2.0 Sampling Locations
- 3.0 Sampling Procedure
- 4.0 Description of Soil Samples
- 5.0 Analytical Results

### List of Tables

Table 1. Soil Description of Samples Collected on 08/20/01
Table 2. Pb and As Analytical Results of Samples Collected on 08/20/01

### **List of Figures**

Figure 1. Sample Location Diagram

### Appendix-List of Attachments

- Aug. 20, 2001 Soil Samples Chain-of-Custody
- Aug. 20, 2001 Soil Samples Laboratory Reports
- Construction Site Diagram
- Project Photographs

Area 1 Project Report Soil Testing for Pb & As September 7, 2001

#### 1.0 Project Background

In order to obtain information on possible lead and arsenic in soils at the Pepsi Bottling Group facility located at 3801 Brighton Blvd., Denver, Colorado 80216, soil samples were collected from Area 1 prior to construction activities that would involve disturbing the soil below a section of the concrete floor that is to be removed. Area 1 of the Plastic Bottle Line Project is the portion just inside the north wall of the warehouse that will be removed to allow for construction of the new North Court Loading Docks.

ENV CONSULTING GRP

The sampling project was conducted by Gary E. Johnson of Transportation & Industrial Services, Inc., 3772 Puritan Way, Unit # 4, Erie, Colorado 80516 on August 20, 2001.

#### 2.0 Sampling Locations

The portion of Area 1 in which construction will disturb the soil is 9.5 feet by 74 feet, adjacent to the north outside wall. One composite soil sample from each of 3 soil borings were collected from within these dimensions. The boring locations were selected randomly using a random number generator to select x and y coordinates of three equal sized sections of Area 1. Holes were saw cut through the 8" thick concrete slab to allow access to the soils below. Refer to the Sample Location Diagram attached to this report for a representation of the sample locations in Area 1.

#### 3.0 Sampling Procedure

The soil samples were collected using a stainless steel hand auger with a 1.5 inch diameter sample retrieval device. The hand auger was advanced through the soil at each boring location to a depth of 32" below the soil surface. The auger soil cuttings from 0" to 32" were placed in a stainless steel bowl and thoroughly mixed with a stainless steel spoon. Three sterile 4-ounce sample jars were filled with soil from the bowl for each sample, and the remaining soil was placed back into the boring. This procedure was repeated for each boring, thus yielding 3 composite soil samples for analysis. The samples were designated A1-1, A1-2, and A1-3.

The hand auger, bowl, and spoon were decontaminated after each boring to prevent cross contamination between samples. These items were scrubbed in an Alconox TM detergent and distilled water solution and then triple-rinsed with distilled water and dried with clean paper towels.

A chain-of-custody was completed and the sample jars were labeled, sealed, and placed in a cooler on ice for transportation to the laboratory. The samples were analyzed by Evergreen Analytical, Inc. located at 4036 Youngfield St. in Wheat Ridge, Colorado 80033. Each composite sample was submitted for Total Lead and Total Arsenic analysis by EPA Method SW6020A. The chain-of-custody and the laboratory reports are included as an attachment to this report.

PAGE

Pepsi Bottling Group 3801 Brighton Blvd. Denver, CO 80216

Area 1 Project Report Soil Testing for Pb & As September 7, 2001

#### 4.0 **Description of Soil Samples**

8655840282

Below are physical descriptions of the soil samples collected from the Area 1.

Table I. Soil Description of Samples Collected on 08/20/01


Sample ID	Soil Description
A1-1	Light brown loamy sand, well sorted
A1-2	Light brown sand, poorly sorted with gravel and pebbles to ¾" diameter
A1-3	Light brown sand, poorly sorted with gravel and pebbles to ¾' diameter

#### 5.0 **Analytical Results**

Below is a table listing the analytical results of the samples collected from Area 1.

Table 2. Pb and As Analytical Results of Samples Collected on 08/20/01

Sample ID	Time Collected	Total Arsenic Results (in mg/Kg)	Total Lead Results (in mg/Kg)	
A1-1	0910 hrs.	3.5	8.9	
A1-2	0940 hrs.	2.9	23	
A1-3	1005 hrs.	4.3	51	



## PROJECT REPORT

Area 2
Soil Testing for
Lead & Arsenic

Project Location:

Pepsi Bottling Group 3801 Brighton Blvd. Denver, CO 80216

Prepared by:

Gary E. Johnson
Transportation & Industrial
Services, Inc.
3772 Puritan Way, Unit #4
Erie, CO 80516

Report Date:

September 8, 2001

### **Table of Contents**

### Section

1.0	Project Background
2.0	Sampling Locations
3.0	Sampling Procedure

- 4.0 Description of Soil Samples
- 5.0 Analytical Results
- 6.0 TCLP Analytical Results

### List of Tables

- Table 1. Soil Description of Samples-Area 2
- Table 2. Soil Description of Samples-Caisson 1 & 2
- Table 3. Soil Description of Samples-Crane Pad
- Table 4. Pb and As Analytical Results-Area 2
- Table 5. Pb and As Analytical Results-Caisson 1 & 2
- Table 6. Pb and As Analytical Results-Crane Pad
- Table 7. TCLP Pb and As Analytical Results

### List of Figures

Figure 1. Sample Location Diagram

### Appendix-List of Attachments

- Area 2 & Caissons Soil Samples Chain-of-Custody
- Area 2 & Caissons Soil Samples Laboratory Reports
- Crane Pad Soil Samples Chain-of-Custody
- Crane Pad Soil Samples Laboratory Reports
- TCLP Laboratory Reports
- Project Photographs

Area 2 Project Report Soil Testing for Pb & As September 8, 2001

#### 1.0 **Project Background**

In order to obtain information on possible lead and arsenic in soils at the Pepsi Bottling Group facility located at 3801 Brighton Blvd., Denver, Colorado 80216, soil samples were collected from Area 2 of the Plastic Bottle Line Project prior to construction activities that would involve disturbing the soil. Area 2 is located outside adjacent to the north wall of the warehouse walls that will be removed to allow for construction of the new North Court Loading Docks.

ENV CONSULTING GRP

Subsurface soil samples were also collected at the locations designated for two caissons, which are scheduled to be drilled in Area 2 adjacent to the existing warehouse wall outside. In addition, samples were also collected adjacent to the north boundary of Area 2 for a temporary crane pad, which will be constructed by moving soils to level the surface.

The sampling project was conducted by Gary E. Johnson of Transportation & Industrial Services, Inc., 3772 Puritan Way, Unit # 4, Erie, Colorado 80516. The crane pad samples were collected on August 20, 2001 and the Area 2 samples on August 23, 2001.

#### 2.0 Sampling Locations

The portion of Area 2 in which construction will disturb the soil is 25 feet by 135 feet, adjacent to the north outside wall. The boring locations were selected randomly using a random number generator to select x and y coordinates of 6 equal sized sections of Area 2. One composite soil sample from each of 6 soil borings were collected from within these dimensions from a depth of 0'-7' feet below ground surface (bgs). The positions of the caisson sample locations were pointed out by Mr. Don Patton of PBG.

Two samples were collected from the crane pad, which is 40' by 80'. The sample locations from the crane pad were selected from 2 equal sized sections by the random number generator to select the x,y coordinates. Refer to the Sample Location Diagram attached to this report for a representation of the sample locations in Area 2 including the caissons and the crane pad.

#### 3.0 Sampling Procedure

The soil samples were collected using Geoprobe hydraulic push drilling rig. Stainless steel drive tubes were advanced through the soil at each boring location to the desired depth. New clear plastic sampling sleeves were used to retrieve the samples from each boring. The soil removed from the plastic sleeves samples was placed in a stainless steel bowl and thoroughly mixed with a stainless steel spoon. Three sterile 4-ounce sample jars were filled with soil from the bowl for each sample, and the remaining soil was placed back into the boring. This procedure was repeated for each boring, thus yielding 6 composite soil samples for analysis from Area 2 representing the depth from 0' to 7' bgs. The samples were designated A2-1, A2-2, A2-3, A2-4, A2-5, and A2-6.

Area 2 Project Report Soil Testing for Pb & As September 8, 2001

The caisson samples were also collected using the hydraulic push rig. Two composite samples were collected from each boring. Our intention was to push to a depth of 20' below bgs on both caisson locations. While advancing to depth in the Caisson 1 location we were met with auger refusal at 16', probably due to the gravel and small rocks encountered at depth. Caisson 2 boring was advanced to 20', but with some difficulty.

The samples from Area 2 Caisson 1 were collected to represent 0' to 10', and 10' to 16' bgs respectively. These samples were designated A2 Caisson 1-10 and A2 Caisson 1-16. The samples from Area 2 Caisson 2 were designated A2 Caisson 2-10 and A2 Caisson 2-20. The base of fill appeared to be approximately 12 feet bgs in both borings.

The crane pad soil samples, designated as Crane Pad 1 and Crane Pad 2 were collected from 0' to 2' bgs with a stainless steel hand auger.

The stainless steel drive tubes (and hand auger), bowl, and spoon were decontaminated after each boring to prevent cross contamination between samples. These items were scrubbed in an Alconox TM detergent and distilled water solution and then triple-rinsed with distilled water and dried with clean paper towels.

A chain-of-custody was completed and the sample jars were labeled, sealed, and placed in a cooler on ice for transportation to the laboratory. The samples were analyzed by Evergreen Analytical, Inc. located at 4036 Youngfield St. in Wheat Ridge, Colorado 80033. Each composite sample was submitted for Total Lead and Total Arsenic analysis by EPA Method SW6020A. The chain-of-custody and the laboratory reports are included as an attachment to this report.

### 4.0 Description of Soil Samples

Below are physical descriptions of the soil samples collected from the Area 2.

Table 1.
Soil Description of Samples –Area 2

Sample ID	Soil Description
A2-1	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter and small pieces of red brick
A2-2	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter
A2-3	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter and small pieces of red brick
A2-4	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter and small pieces of red brick to 1"
A2-5	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter
A2-6	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter

Area 2 Project Report Soil Testing for Pb & As September 8, 2001

Table 2.
Soil Description of Samples –Caisson 1 & 2

Sample ID	Soil Description		
A2 Caisson 1-10	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter and small pieces of red brick to 1"		
A2 Caisson 1-16	Tan well graded silty sand with gravelly clay		
A2 Caisson 2-10	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter and small pieces of red brick to 1"		
A2 Caisson 2-20	Tan well graded silty sand with gravelly clay		

Table 3.
Soil Description of Samples –Crane Pad

Sample ID	Soil Description		
Crane Pad 1	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter and small pieces of red brick to 1"		
Crane Pad 2	Brown silty sand, poorly sorted with gravel and pebbles to 1" diameter and small pieces of red brick to 1"		

### 5.0 Analytical Results

Below is a table listing the analytical results of the samples collected from Area 1.

Table 4.

Pb and As Analytical Results -Area 2

Sample ID	Time Collected	Depth Collected bgs	Total Arsenic Results (in mg/Kg)	Total Lead Results (in mg/Kg)
A2-1	1028 hrs.	0'-7'	35	300
A2-2	1055 hrs.	0'-7'	11	120
A2-3	1125 hrs.	0'-7'	24	200
A2-4	1210 hrs.	0'-7'	21	190
A2-5	1230 hrs.	0'-7'	13	180
A2-6	1150 hrs.	0°-7°	8.8	81

Area 2 Project Report Soil Testing for Pb & As September 8, 2001

Table 5.

Pb and As Analytical Results of Caisson Samples

Sample ID	Time Collected	Depth Collected bgs	Total Arsenic Results (in mg/Kg)	Total Lead Results (in mg/Kg)
A2 Caisson 1-10	0840 hrs.	0'-10'	15	120
A2 Caisson 1-16	0852 hrs.	10'-16'	_15	240
A2 Caisson 2-10	0935 hrs.	0'-10'	18	210
A2 Caisson 2-20	0945 hrs.	10'-20'	9.2	58

Table 6.

Pb and As Analytical Results of Crane Pad Samples

Sample ID	Time Collected	Depth Collected bgs	Total Arsenic Results (in mg/Kg)	Total Lead Results (in mg/Kg)
Crane Pad 1	1120 hrs.	0'-2'	13	110
Crane Pad 2	1200 hrs.	0'-2'	22	320

### 6.0 TCLP Analytical Results

The 5 soil samples from Area 2 and the Crane Pad with the highest lead results were selected for additional analysis by Toxicity Characteristic Leaching Procedure (TCLP). Evergreen Laboratory performed the tests request and below are the analytical results.

Table 7.
TCLP Pb and As Analytical Results

Sample ID	Time Collected	Depth Collected bgs	Total Lead Results (in mg/Kg)	TCLP Lead Results (in mg/L)
Crane Pad 2	1200 hrs.	0'-2'	320	U
A2 Caisson 1-16	0852 hrs.	10'-16'	240	U
A2 Caisson 2-10	0935 hrs.	0'-10'	210	U
A2-1	1028 hrs.	0'-7'	300	0.52
A2-3	1125 hrs.	0'-7'	200	0.74

Note: U = not detected at the reporting limit

The chain-of-custody and the laboratory report for the TCLP analyses are included as an attachment to this report.

